

TECHNICAL DATA / DATOS TÉCNICOS

50 Hz n=2900 1/min

MODEL MODELO	Flow Caudal m³/h	Head Altura m	Pump bomba	Power Poten. kw	Tank size Tamaño del tanque ΦxL	User no.
PBWS15/8-2C	8	15	CDL4-2	0.37	Φ600x1.3	25
PBWS24/8-2C	8	24	CDL4-3	0.55	Φ600x1.3	25
PBWS32/8-2C	8	32	CDL4-4	0.75	Φ600x1.3	25
PBWS40/8-2C	8	40	CDL4-5	1.1	Φ600x1.3	25
PBWS48/8-2C	8	48	CDL4-6	1.1	Φ600x1.3	25
PBWS56/8-2C	8	56	CDL4-7	1.5	Φ600x1.3	25
PBWS64/8-2C	8	64	CDL4-8	1.5	Φ600x1.3	25
PBWS81/8-2C	8	81	CDL4-10	2.2	Φ600x1.3	25
PBWS95/8-2C	8	95	CDL4-12	2.2	Φ600x1.3	25
PBWS112/8-2C	8	112	CDL4-14	3	Φ600x1.3	25
PBWS129/8-2C	8	129	CDL4-16	3	Φ600x1.3	25
PBWS153/8-2C	8	153	CDL4-19	4	Φ600x1.3	25
PBWS178/8-2C	8	178	CDL4-22	4	Φ600x1.3	25
PBWS18/16-2C	16	18	CDL8-2	0.75	Φ600x1.3	80
PBWS27/16-2C	16	27	CDL8-3	1.1	Φ600x1.3	80
PBWS36/16-2C	16	36	CDL8-4	1.5	Φ600x1.3	80
PBWS45/16-2C	16	45	CDL8-5	2.2	Φ600x1.3	80
PBWS54/16-2C	16	54	CDL8-6	2.2	Φ600x1.3	80
PBWS73/16-2C	16	73	CDL8-8	3	Φ600x1.3	80
PBWS92/16-2C	16	92	CDL8-10	4	Φ600x1.3	80
PBWS111/16-2C	16	111	CDL8-12	4	Φ600x1.3	80
PBWS130/16-2C	16	130	CDL8-14	5.5	Φ600x1.3	80
PBWS148/16-2C	16	148	CDL8-16	5.5	Φ600x1.3	80
PBWS167/16-2C	16	167	CDL8-18	7.5	Φ600x1.3	80
PBWS186/16-2C	16	186	CDL8-20	7.5	Φ600x1.3	80
PBWS20/24-2C	24	20	CDL12-2	1.5	Φ800x1.5	150
PBWS30/24-2C	24	30	CDL12-3	2.2	Φ800x1.5	150
PBWS40/24-2C	24	40	CDL12-4	3	Φ800x1.5	150
PBWS50/24-2C	24	50	CDL12-5	3	Φ800x1.5	150
PBWS60/24-2C	24	60	CDL12-6	4	Φ800x1.5	150
PBWS70/24-2C	24	70	CDL12-7	5.5	Φ800x1.5	150
PBWS80/24-2C	24	80	CDL12-8	5.5	Φ800x1.5	150
PBWS91/24-2C	24	91	CDL12-9	5.5	Φ800x1.5	150
PBWS101/24-2C	24	101	CDL12-10	7.5	Φ800x1.5	150
PBWS121/24-2C	24	121	CDL12-12	7.5	Φ800x1.5	150
PBWS141/24-2C	24	141	CDL12-14	11	Φ800x1.5	150
PBWS162/24-2C	24	162	CDL12-16	11	Φ800x1.5	150
PBWS183/24-2C	24	183	CDL12-18	11	Φ800x1.5	150
PBWS22/32-2C	32	22	CDL16-2	2.2	Φ800x1.5	220
PBWS34/32-2C	32	34	CDL16-3	3	Φ800x1.5	220
PBWS46/32-2C	32	46	CDL16-4	4	Φ800x1.5	220
PBWS58/32-2C	32	58	CDL16-5	5.5	Φ800x1.5	220
PBWS70/32-2C	32	70	CDL16-6	5.5	Φ800x1.5	220
PBWS82/32-2C	32	82	CDL16-7	7.5	Φ800x1.5	220
PBWS94/32-2C	32	94	CDL16-8	7.5	Φ800x1.5	220
PBWS118/32-2C	32	118	CDL16-10	11	Φ800x1.5	220
PBWS141/32-2C	32	141	CDL16-12	11	Φ800x1.5	220
PBWS166/32-2C	32	166	CDL16-14	15	Φ800x1.5	220
PBWS189/32-2C	32	189	CDL16-16	15	Φ800x1.5	220

MODEL MODELO	Flow Caudal m³/h	Head Altura m	Pump bomba	Power Poten. kw	Tank size Tamaño del tanque ΦxL	User no.
PBWS23/40-2C	40	23	CDL20-2	2.2	Φ800x1.5	260
PBWS35/40-2C	40	35	CDL20-3	4	Φ800x1.5	260
PBWS47/40-2C	40	47	CDL20-4	5.5	Φ800x1.5	260
PBWS58/40-2C	40	58	CDL20-5	5.5	Φ800x1.5	260
PBWS70/40-2C	40	70	CDL20-6	7.5	Φ800x1.5	260
PBWS82/40-2C	40	82	CDL20-7	7.5	Φ800x1.5	260
PBWS94/40-2C	40	94	CDL20-8	11	Φ800x1.5	260
PBWS118/40-2C	40	118	CDL20-10	11	Φ800x1.5	260
PBWS142/40-2C	40	142	CDL20-12	15	Φ800x1.5	260
PBWS166/40-2C	40	166	CDL20-14	15	Φ800x1.5	260
PBWS202/40-2C	40	202	CDL20-17	18.5	Φ1000x2.0	260
PBWS27/64-2C	64	27	CDL32-20	4	Φ1000x2.0	500
PBWS40/64-2C	64	40	CDL32-30	5.5	Φ1000x2.0	500
PBWS53/64-2C	64	53	CDL32-40	7.5	Φ1000x2.0	500
PBWS67/64-2C	64	67	CDL32-50	11	Φ1000x2.0	500
PBWS81/64-2C	64	81	CDL32-60	11	Φ1000x2.0	500
PBWS95/64-2C	64	95	CDL32-70	15	Φ1000x2.0	500
PBWS109/64-2C	64	109	CDL32-80	15	Φ1000x2.0	500
PBWS124/64-2C	64	124	CDL32-90	18.5	Φ1000x2.0	500
PBWS138/64-2C	64	138	CDL32-100	18.5	Φ1000x2.0	500
PBWS153/64-2C	64	153	CDL32-110	22	Φ1000x2.0	500
PBWS167/64-2C	64	167	CDL32-120	22	Φ1000x2.0	500
PBWS184/64-2C	64	184	CDL32-130	30	Φ1000x2.0	500
PBWS196/64-2C	64	196	CDL32-140	30	Φ1000x2.0	500
PBWS41/84-2C	84	41	CDL42-20	7.5	Φ1000x2.0	600
PBWS61/84-2C	84	61	CDL42-30	11	Φ1000x2.0	600
PBWS81/84-2C	84	81	CDL42-40	15	Φ1000x2.0	600
PBWS101/84-2C	84	101	CDL42-50	18.5	Φ1000x2.0	600
PBWS122/84-2C	84	122	CDL42-60	22	Φ1000x2.0	600
PBWS142/84-2C	84	142	CDL42-70	30	Φ1000x2.0	600
PBWS162/84-2C	84	162	CDL42-80	30	Φ1000x2.0	600
PBWS183/64-2C	84	183	CDL42-90	37	Φ1000x2.0	600
PBWS203/64-2C	84	203	CDL42-100	37	Φ1000x2.0	600
PBWS225/84-2C	84	225	CDL42-110	45	Φ1000x2.0	600
PBWS238/84-2C	84	238	CDL42-120-2	45	Φ1000x2.0	600
PBWS247/84-2C	84	247	CDL42-120	45	Φ1000x2.0	600
PBWS259/84-2C	84	259	CDL42-130-2	45	Φ1000x2.0	600
PBWS26/130-2C	130	26	CDL65-20-2	7.5	Φ1200x2.0	1200
PBWS40/130-2C	130	40	CDL65-20	11	Φ1200x2.0	1200
PBWS60/130-2C	130	60	CDL65-30	18.5	Φ1200x2.0	1200
PBWS80/130-2C	130	80	CDL65-40	22	Φ1200x2.0	1200
PBWS95/130-2C	130	95	CDL65-50-1	30	Φ1200x2.0	1200
PBWS102/130-2C	130	102	CDL65-50	30	Φ1200x2.0	1200
PBWS110/130-2C	130	110	CDL65-60-2	30	Φ1200x2.0	1200
PBWS24/130-2C	130	124	CDL65-60	37	Φ1200x2.0	1200
PBWS132/130-2C	130	132	CDL65-70-2	37	Φ1200x2.0	1200
PBWS146/130-2C	130	146	CDL65-70	45	Φ1200x2.0	1200
PBWS154/130-2C	130	154	CDL68-80-2	45	Φ1200x2.0	1200
PBWS161/130-2C	130	161	CDL65-80-1	45	Φ1200x2.0	1200

TECHNICAL DATA / DATOS TÉCNICOS

50 Hz n=2900 1/min

MODEL MODELO	Flow Caudal m³/h	Head Altura m	Pump bomba	Power Poten. kw	Tank size Tamaño del tanque ΦxL	User no.
PBWS20/170-2C	170	20	CDL85-10	7.5	Φ1200x2.0	1600
PBWS30/170-2C	170	30	CDL85-20-2	11	Φ1200x2.0	1600
PBWS41/170-2C	170	41	CDL85-20	15	Φ1200x2.0	1600
PBWS52/170-2C	170	52	CDL85-30-2	18.5	Φ1200x2.0	1600
PBWS64/170-2C	170	64	CDL85-30	22	Φ1200x2.0	1600
PBWS75/170-2C	170	75	CDL85-40-2	30	Φ1200x2.0	1600
PBWS86/170-2C	170	86	CDL85-40	30	Φ1200x2.0	1600
PBWS98/170-2C	170	98	CDL85-50-2	37	Φ1200x2.0	1600
PBWS110/170-2C	170	110	CDL85-50	37	Φ1200x2.0	1600
PBWS122/170-2C	170	122	CDL85-60-2	45	Φ1200x2.0	1600
PBWS134/170-2C	170	134	CDL85-60	45	Φ1200x2.0	1600
PBWS15/12-3C	12	15	CDL4-2	0.37	Φ600x1.3	50
PBWS24/12-3C	12	24	CDL4-3	0.55	Φ600x1.3	50
PBWS32/12-3C	12	32	CDL4-4	0.75	Φ600x1.3	50
PBWS40/12-3C	12	40	CDL4-5	1.1	Φ600x1.3	50
PBWS48/12-3C	12	48	CDL4-6	1.1	Φ600x1.3	50
PBWS56/12-3C	12	56	CDL4-7	1.5	Φ600x1.3	50
PBWS64/12-3C	12	64	CDL4-8	1.5	Φ600x1.3	50
PBWS81/12-3C	12	81	CDL4-10	2.2	Φ600x1.3	50
PBWS95/12-3C	12	95	CDL4-12	2.2	Φ600x1.3	50
PBWS112/12-3C	12	112	CDL4-14	3	Φ600x1.3	50
PBWS129/12-3C	12	129	CDL4-16	3	Φ600x1.3	50
PBWS153/12-3C	12	153	CDL4-19	4	Φ600x1.3	50
PBWS178/12-3C	12	178	CDL4-22	4	Φ600x1.3	50
PBWS18/24-3C	24	18	CDL8-2	0.75	Φ800x1.5	150
PBWS27/24-3C	24	27	CDL8-3	1.1	Φ800x1.5	150
PBWS36/24-3C	24	36	CDL8-4	1.5	Φ800x1.5	150
PBWS45/24-3C	24	45	CDL8-5	2.2	Φ800x1.5	150
PBWS54/24-3C	24	54	CDL8-6	2.2	Φ800x1.5	150
PBWS73/24-3C	24	73	CDL8-8	3	Φ800x1.5	150
PBWS92/34-3C	24	92	CDL8-10	4	Φ800x1.5	150
PBWS111/24-3C	24	111	CDL8-12	4	Φ800x1.5	150
PBWS130/24-3C	24	130	CDL8-14	5.5	Φ800x1.5	150
PBWS148/24-3C	24	148	CDL8-16	5.5	Φ800x1.5	150
PBWS167/24-3C	24	167	CDL8-18	7.5	Φ800x1.5	150
PBWS186/24-3C	24	186	CDL8-20	7.5	Φ800x1.5	150
PBWS20/36-3C	36	20	CDL12-2	1.5	Φ800x1.5	220
PBWS30/36-3C	36	30	CDL12-3	2.2	Φ800x1.5	220
PBWS40/36-3C	36	40	CDL12-4	3	Φ800x1.5	220
PBWS50/36-3C	36	50	CDL12-5	3	Φ800x1.5	220
PBWS60/36-3C	36	60	CDL12-6	4	Φ800x1.5	220
PBWS70/36-3C	36	70	CDL12-7	5.5	Φ800x1.5	220
PBWS80/36-3C	36	80	CDL12-8	5.5	Φ800x1.5	220
PBWS91/36-3C	36	91	CDL12-9	5.5	Φ800x1.5	220
PBWS101/36-3C	36	101	CDL12-10	7.5	Φ800x1.5	220
PBWS121/36-3C	36	121	CDL12-12	7.5	Φ800x1.5	220
PBWS141/36-3C	36	141	CDL12-14	11	Φ800x1.5	220
PBWS162/36-3C	36	162	CDL12-16	11	Φ800x1.5	220
PBWS183/36-3C	36	183	CDL12-18	11	Φ800x1.5	220

MODEL MODELO	Flow Caudal m³/h	Head Altura m	Pump bomba	Power Poten. kw	Tank size Tamaño del tanque ΦxL	User no.
PBWS22/48-3C	48	22	CDL16-2	2.2	Φ800x1.5	300
PBWS34/48-3C	48	34	CDL16-3	3	Φ800x1.5	300
PBWS46/48-3C	48	46	CDL16-4	4	Φ800x1.5	300
PBWS58/48-3C	48	58	CDL16-5	5.5	Φ800x1.5	300
PBWS70/48-3C	48	70	CDL16-6	5.5	Φ800x1.5	300
PBWS82/48-3C	48	82	CDL16-7	7.5	Φ800x1.5	300
PBWS94/48-3C	48	94	CDL16-8	7.5	Φ800x1.5	300
PBWS118/48-3C	48	118	CDL16-10	11	Φ800x1.5	300
PBWS141/48-3C	48	141	CDL16-12	11	Φ800x1.5	300
PBWS166/48-3C	48	166	CDL16-14	15	Φ800x1.5	300
PBWS189/48-3C	48	189	CDL16-16	15	Φ800x1.5	300
PBWS23/60-3C	60	23	CDL20-2	2.5	Φ1000x2.0	500
PBWS35/60-3C	60	35	CDL20-3	4	Φ1000x2.0	500
PBWS47/60-3C	60	47	CDL20-4	5.5	Φ1000x2.0	500
PBWS58/60-3C	60	58	CDL20-5	5.5	Φ1000x2.0	500
PBWS70/63-3C	60	70	CDL20-6	7.5	Φ1000x2.0	500
PBWS82/60-3C	60	82	CDL20-7	7.5	Φ1000x2.0	500
PBWS94/60-3C	60	94	CDL20-8	11	Φ1000x2.0	500
PBWS118/60-3C	60	118	CDL20-10	11	Φ1000x2.0	500
PBWS142/60-3C	60	142	CDL20-12	15	Φ1000x2.0	500
PBWS166/60-3C	60	166	CDL20-14	15	Φ1000x2.0	500
PBWS202/60-3C	60	202	CDL20-17	18.5	Φ1000x2.0	500
PBWS27/96-3C	96	27	CDL32-20	4	Φ1000x2.0	900
PBWS40/96-3C	96	40	CDL32-30	5.5	Φ1000x2.0	900
PBWS53/96-3C	96	53	CDL32-40	7.5	Φ1000x2.0	900
PBWS67/96-3C	96	67	CDL32-50	11	Φ1000x2.0	900
PBWS81/96-3C	96	81	CDL32-60	11	Φ1000x2.0	900
PBWS95/96-3C	96	95	CDL32-70	15	Φ1000x2.0	900
PBWS109/96-3C	96	109	CDL32-80	15	Φ1000x2.0	900
PBWS124/96-3C	96	124	CDL32-90	18.5	Φ1000x2.0	900
PBWS138/96-3C	96	138	CDL32-100	18.5	Φ1000x2.0	900
PBWS153/96-3C	96	153	CDL32-110	22	Φ1000x2.0	900
PBWS167/96-3C	96	167	CDL32-120	22	Φ1000x2.0	900
PBWS181/96-3C	96	181	CDL32-130	30	Φ1000x2.0	900
PBWS196/96-3C	96	196	CDL32-140	30	Φ1200x2.0	900
PBWS41/126-3C	126	41	CDL42-20	7.5	Φ1200x2.0	1200
PBWS61/126-3C	126	61	CDL42-30	11	Φ1200x2.0	1200
PBWS81/126-3C	126	81	CDL42-40	15	Φ1200x2.0	1200
PBWS101/126-3C	126	101	CDL42-50	18.5	Φ1200x2.0	1200
PBWS122/126-3C	126	122	CDL42-60	22	Φ1200x2.0	1200
PBWS142/126-3C	126	142	CDL42-70	30	Φ1200x2.0	1200
PBWS162/126-3C	126	162	CDL42-80	30	Φ1200x2.0	1200
PBWS183/126-3C	126	183	CDL42-90	37	Φ1200x2.0	1200
PBWS203/126-3C	126	203	CDL42-100	37	Φ1200x2.0	1200
PBWS225/126-3C	126	225	CDL42-110	45	Φ1200x2.0	1200
PBWS238/126-3C	126	238	CDL42-120-2	45	Φ1200x2.0	1200
PBWS247/126-3C	126	247	CDL42-120	45	Φ1200x2.0	1200
PBWS259/126-3C	126	259	CDL42-130-2	45	Φ1200x2.0	1200
PBWS26/195-3C	195	26	CDL65-20-2	7.5	Φ1200x2.0	1600

TECHNICAL DATA / DATOS TÉCNICOS

50 Hz n=2900 1/min

MODEL MODELO	Flow Caudal m ³ /h	Head Altura m	Pump bomba	Power Poten. kw	Tank size Tamaño del tanque ΦxL	User no.
PBWS40/195-3C	195	40	CDL65-20	11	Φ1200x2.0	1600
PBWS60/195-3C	195	60	CDL65-30	18.5	Φ1200x2.0	1600
PBWS80/195-3C	195	80	CDL65-40	22	Φ1200x2.0	1600
PBWS95/195-3C	195	95	CDL65-50-1	30	Φ1200x2.0	1600
PBWS102/195-3C	195	102	CDL65-50	30	Φ1200x2.0	1600
PBWS110/195-3C	195	110	CDL65-60-2	30	Φ1200x2.0	1600
PBWS124/195-3C	195	124	CDL65-60	37	Φ1200x2.0	1600
PBWS132/195-3C	195	132	CDL65-70-2	37	Φ1200x2.0	1600
PBWS146/195-3C	195	146	CDL65-70	45	Φ1200x2.0	1600
PBWS154/195-3C	195	154	CDL65-80-2	45	Φ1200x2.0	1600
PBWS161/195-3C	195	161	CDL65-80-1	45	Φ1200x2.0	1600
PBWS20/255-3C	255	20	CDL85-10	7.5	Φ1400x2.5	2200
PBWS30/255-3C	255	30	CDL85-20-2	11	Φ1400x2.5	2200
PBWS41/255-3C	255	41	CDL85-20	15	Φ1400x2.5	2200
PBWS52/255-3C	255	52	CDL85-30-2	18.5	Φ1400x2.5	2200
PBWS64/255-3C	255	64	CDL85-30	22	Φ1400x2.5	2200
PBWS75/255-3C	255	75	CDL85-40-2	30	Φ1400x2.5	2200
PBWS86/255-3C	255	86	CDL85-40	30	Φ1400x2.5	2200
PBWS98/255-3C	255	98	CDL85-50-2	37	Φ1400x2.5	2200
PBWS110/255-3C	255	110	CDL85-50	37	Φ1400x2.5	2200
PBWS122/255-3C	255	122	CDL85-60-2	45	Φ1400x2.5	2200
PBWS134/255-3C	255	134	CDL85-60	45	Φ1400x2.5	2200
PBWS33/8-2G	8	33	25GDL4-11x3	1.1	Φ600x1.3	25
PBWS44/8-2G	8	44	25GDL4-11x4	1.5	Φ600x1.3	25
PBWS55/8-2G	8	55	25GDL4-11x5	2.2	Φ600x1.3	25
PBWS66/8-2G	8	66	25GDL4-11x6	2.2	Φ600x1.3	25
PBWS77/8-2G	8	77	25GDL4-11x7	3	Φ600x1.3	25
PBWS88/8-2G	8	88	25GDL4-11x8	3	Φ600x1.3	25
PBWS99/8-2G	8	99	25GDL4-11x9	3	Φ600x1.3	25
PBWS110/8-2G	8	110	25GDL4-11x10	4	Φ600x1.3	25
PBWS121/8-2G	8	121	25GDL4-11x11	4	Φ600x1.3	25
PBWS132/8-2G	8	132	25GDL4-11x12	4	Φ600x1.3	25
PBWS36/12-2G	12	36	40GDL6-12x3	1.5	Φ600x1.3	60
PBWS48/12-2G	12	48	40GDL6-12x4	2.2	Φ600x1.3	60
PBWS60/12-2G	12	60	40GDL6-12x5	2.2	Φ600x1.3	60
PBWS72/12-2G	12	72	40GDL6-12x6	3	Φ600x1.3	60
PBWS84/12-2G	12	84	40GDL6-12x7	3	Φ600x1.3	60
PBWS96/12-2G	12	96	40GDL6-12x8	4	Φ600x1.3	60
PBWS108/12-2G	12	108	40GDL6-12x9	4	Φ600x1.3	60
PBWS120/12-2G	12	120	40GDL6-12x10	4	Φ600x1.3	60
PBWS132/12-2G	12	132	40GDL6-12x11	5.5	Φ600x1.3	60
PBWS144/12-2G	12	144	40GDL6-12x12	5.5	Φ600x1.3	60
PBWS30/24-2G	24	30	50GDL12-15x2	2.2	Φ800x1.5	150
PBWS45/24-2G	24	45	50GDL12-15x3	3	Φ800x1.5	150
PBWS60/24-2G	24	60	50GDL12-15x4	4	Φ800x1.5	150
PBWS75/24-2G	24	75	50GDL12-15x5	5.5	Φ800x1.5	150
PBWS90/24-2G	24	90	50GDL12-15x6	5.5	Φ800x1.5	150
PBWS105/24-2G	24	105	50GDL12-15x7	7.5	Φ800x1.5	150
PBWS120/24-2G	24	120	50GDL12-15x8	7.5	Φ800x1.5	150

MODEL MODELO	Flow Caudal m ³ /h	Head Altura m	Pump bomba	Power Poten. kw	Tank size Tamaño del tanque ΦxL	User no.
PBWS135/24-2G	24	135	50GDL12-15x9	11	Φ800x1.5	150
PBWS150/24-2G	24	150	50GDL12-15x10	11	Φ800x1.5	150
PBWS30/36-2G	36	30	50GDL18-15x2	3	Φ800x1.5	200
PBWS45/36-2G	36	45	50GDL18-15x3	4	Φ800x1.5	200
PBWS60/36-2G	36	60	50GDL18-15x4	5.5	Φ800x1.5	200
PBWS75/36-2G	36	75	50GDL18-15x5	7.5	Φ800x1.5	200
PBWS90/36-2G	36	90	50GDL18-15x6	7.5	Φ800x1.5	200
PBWS105/36-2G	36	105	50GDL18-15x7	11	Φ800x1.5	200
PBWS120/36-2G	36	120	50GDL18-15x8	11	Φ800x1.5	200
PBWS135/36-2G	36	135	50GDL18-15x9	15	Φ800x1.5	200
PBWS150/36-2G	36	150	50GDL18-15x10	15	Φ800x1.5	200
PBWS24/48-2G	48	24	50GDL24-12x2	3	Φ800x1.5	300
PBWS36/48-2G	48	36	50GDL24-12x3	4	Φ800x1.5	300
PBWS48/48-2G	48	48	50GDL24-12x4	5.5	Φ800x1.5	300
PBWS60/48-2G	48	60	65GDL24-12x5	7.5	Φ800x1.5	300
PBWS72/48-2G	48	72	65GDL24-12x6	7.5	Φ800x1.5	300
PBWS84/48-2G	48	84	65GDL24-12x7	11	Φ800x1.5	300
PBWS96/48-2G	48	96	65GDL24-12x8	11	Φ800x1.5	300
PBWS108/48-2G	48	108	65GDL24-12x9	15	Φ800x1.5	300
PBWS120/48-2G	48	120	65GDL24-12x10	15	Φ800x1.5	300
PBWS24/72-2G	72	24	80GDL36-12x2	4	Φ1000x2.0	500
PBWS36/72-2G	72	36	80GDL36-12x3	5.5	Φ1000x2.0	500
PBWS48/72-2G	72	48	80GDL36-12x4	7.5	Φ1000x2.0	500
PBWS60/72-2G	72	60	80GDL36-12x5	11	Φ1000x2.0	500
PBWS72/72-2G	72	72	80GDL36-12x6	11	Φ1000x2.0	500
PBWS84/72-2G	72	84	80GDL36-12x7	15	Φ1000x2.0	500
PBWS96/72-2G	72	96	80GDL36-12x8	15	Φ1000x2.0	500
PBWS108/72-2G	72	108	80GDL36-12x9	18.5	Φ1000x2.0	500
PBWS120/72-2G	72	120	80GDL36-12x10	18.5	Φ1000x2.0	500
PBWS28/108-2G	108	28	80GDL54-14x2	7.5	Φ1200x2.0	800
PBWS42/108-2G	108	42	80GDL54-14x3	11	Φ1200x2.0	800
PBWS56/108-2G	108	56	80GDL54-14x4	15	Φ1200x2.0	800
PBWS70/108-2G	108	70	80GDL54-14x5	18.5	Φ1200x2.0	800
PBWS84/108-2G	108	84	80GDL54-14x6	18.5	Φ1200x2.0	800
PBWS98/108-2G	108	98	80GDL54-14x7	22	Φ1200x2.0	800
PBWS112/108-2G	108	112	80GDL54-14x8	30	Φ1200x2.0	800
PBWS126/108-2G	108	126	80GDL54-14x9	30	Φ1200x2.0	800
PBWS140/108-2G	108	140	80GDL54-14x10	37	Φ1200x2.0	800
PBWS28/144-2G	144	28	100GDL72-14x2	11	Φ1200x2.0	1200
PBWS42/144-2G	144	42	100GDL72-14x3	15	Φ1200x2.0	1200
PBWS56/144-2G	144	56	100GDL72-14x4	18.5	Φ1200x2.0	1200
PBWS70/144-2G	144	70	100GDL72-14x5	22	Φ1200x2.0	1200
PBWS84/144-2G	144	84	100GDL72-14x6	30	Φ1200x2.0	1200
PBWS98/144-2G	144	98	100GDL72-14x7	30	Φ1200x2.0	1200
PBWS112/144-2G	144	112	100GDL72-14x8	37	Φ1200x2.0	1200
PBWS126/144-2G	144	126	100GDL72-14x9	37	Φ1200x2.0	1200
PBWS140/144-2G	144	140	100GDL72-14x10	45	Φ1200x2.0	1200